What is claimed is:

1	 A system for providing diagnosis and monitoring of congestive
2	heart failure for use in automated patient care, comprising:
3	a comparison module comparing at least one recorded physiological
4	measure to at least one other recorded physiological measure on a substantially
5	regular basis to quantify a change in patient pathophysiological status for
6	equivalent patient information; and
7	an analysis module evaluating an absence, an onset, a progression, a
8	regression, and a status quo of congestive heart failure dependent upon the change
9	in patient pathophysiological status.
1	2. A system according to Claim 1, further comprising:
2	a diagnostic module comparing the change in patient pathophysiological
3	status to an indicator threshold corresponding to a quantifiable physiological
4	measure indicative of congestive heart failure.
1	3. A system according to Claim 1, further comprising:
2	a database module retrieving the at least one recorded physiological
3	measure and the at least one other recorded physiological measure from
4	monitoring sets stored in a database.
1	4. A system according to Claim 3, further comprising:
2	a server system collecting the at least one recorded physiological measure
3	and the at least one other recorded physiological measure into each monitoring se
4	recorded on a substantially continuous basis or derived therefrom.
1	5. A system according to Claim 4, further comprising:
2	at least one of an implantable medical device and an external medical
3	device recording the at least one recorded physiological measure and the at least
4	one other recorded physiological measure.

A system according to Claim 1, further comprising:

6.

1

2	the analysis module evaluating an absence, an onset, a progression, a
3	regression, and a status quo of diseases other than congestive heart failure
4	dependent upon the change in patient pathophysiological status.
1	7. A system according to Claim 1, further comprising:
2	a diagnostic module comparing at least one recorded quality of life
3	measure to at least one other recorded quality of life measure on a substantially
4 .	regular basis to qualify a change in patient pathophysiological status.
1	8. A system according to Claim 1, further comprising:
2	a stored stickiness indicator defined for at least one physiological measure
3	corresponding to a temporal boundary on one of patient diagnosis and treatment;
4	a diagnostic module timing each change in patient pathophysiological
5	status for the equivalent patient information and determining one of a revised
6	patient diagnosis and treatment responsive to each change in patient
7	pathophysiological status with a timing exceeding the stickiness indicator.
1	9. A system according to Claim 1, further comprising:
2	a diagnostic module comparing the change in patient pathophysiological
3	status to a reference baseline comprising recorded physiological measures
4	recorded during an initial time period.
1	10. A system according to Claim 1, further comprising:
2 ·	a diagnostic module comparing the change in patient pathophysiological
3	status to equivalent patient information from at least one of an individual patient,
4	a peer group, and a overall patient population.
1	11. A method for providing diagnosis and monitoring of congestive
2	heart failure for use in automated patient care, comprising:
3	comparing at least one recorded physiological measure to at least one
4	other recorded physiological measure on a substantially regular basis to quantify a
5 ·	change in patient pathophysiological status for equivalent patient information; and

	1/ F= 1
6	evaluating an absence, an onset, a progression, a regression, and a status
7	quo of congestive heart failure dependent upon the change in patient
8	pathophysiological status.
1	12. A method according to Claim 11, further comprising:
2	comparing the change in patient pathophysiological status to an indicator
3	threshold corresponding to a quantifiable physiological measure indicative of
4	congestive heart failure.
1	13. A method according to Claim 11, further comprising:
2	retrieving the at least one recorded physiological measure and the at least
3	one other recorded physiological measure from monitoring sets stored in a
4	database.
1	14. A method according to Claim 13, further comprising:
2	collecting the at least one recorded physiological measure and the at least
3	one other recorded physiological measure into each monitoring set recorded on a
4	substantially continuous basis or derived therefrom.
1	15. A method according to Claim 14, further comprising:
2	recording the at least one recorded physiological measure and the at least
3	one other recorded physiological measure with at least one of an implantable
4	medical device and an external medical device.
1	16. A method according to Claim 11, further comprising:
2	evaluating an absence, an onset, a progression, a regression, and a status
3	quo of diseases other than congestive heart failure dependent upon the change in
4	patient pathophysiological status.
1	17. A method according to Claim 11, further comprising:
2	comparing at least one recorded quality of life measure to at least one
3	other recorded quality of life measure on a substantially regular basis to qualify a
4	change in patient pathophysiological status.

1	18. A method according to Claim 11, further comprising:
2	defining a stickiness indicator for at least one physiological measure
3	corresponding to a temporal boundary on one of patient diagnosis and treatment;
4	timing each change in patient pathophysiological status for the equivalent
5	patient information; and
6	determining one of a revised patient diagnosis and treatment responsive to
7	each change in patient pathophysiological status with a timing exceeding the
8	stickiness indicator.
1	19. A method according to Claim 11, further comprising:
2	comparing the change in patient pathophysiological status to a reference
3.	baseline comprising recorded physiological measures recorded during an initial
4	time period.
1	20. A method according to Claim 11, further comprising:
2	comparing the change in patient pathophysiological status to equivalent
3	patient information from at least one of an individual patient, a peer group, and a
4	overall patient population.
1	21. A computer-readable storage medium for a device holding code for
2	performing the method according to Claims 11, 12, 13, 14, 15, 16, 17, 18, 19, or
3	20.
1	22. A system for analyzing a patient status for congestive heart failure
2	for use in automated patient care, comprising:
3	a server system receiving a set of one or more physiological measures
4	relating to patient information recorded on a substantially continuous basis or
5	derived therefrom;
6	a database module storing the physiological measures set into a patient
7	core record for an individual nations into a database, and

8	an analyzer analyzing one or more of the physiological measures in the
9	physiological measures set relative to one or more other physiological measures
10	to determine a pathophysiology indicating an absence, an onset, a progression, a
11	regression, and a status quo of congestive heart failure.
1	23. A system according to Claim 22, further comprising:
2	the analyzer analyzing the physiological measures in the physiological
3	measures set relative to the other physiological measures to determine a
4	pathophysiology indicating an absence, an onset, a progression, a regression, and
5	a status quo of diseases other than congestive heart failure.
1	24 A system a searding to Claim 22 forther servicing
1	24. A system according to Claim 22, further comprising:
2	the server system receiving a set of one or more quality of life measures
3	relating to patient information recorded on a substantially continuous basis or
4	derived therefrom;
5	the database module storing the quality of life measures set into the patient
6	care record for the individual patient into the database; and
7	the analyzer analyzing the quality of life measures in the physiological
8	measures set relative to the other quality of life measures to determine a
9	pathophysiology indicating an absence, an onset, a progression, a regression, and
10	a status quo of congestive heart failure.
1	25 A guestam a canadia a ta Chaine 22 fauthau ann airi
1	25. A system according to Claim 22, further comprising:
2	the server system receiving a set of one or more baseline physiological
3	measures relating to patient information recorded during an initial time period or
4	derived therefrom;
5	the database module storing the baseline physiological measures set into
6	the patient care record for the individual patient into the database; and
7	the analyzer analyzing the physiological measures in the physiological
8	measures set relative to the baseline physiological measures to determine a

9	pathophysiology indicating an absence, an onset, a progression, a regression, and
10	a status quo of congestive heart failure.
1	26. A system according to Claim 22, further comprising:
2	a comparison module retrieving the other physiological measures from
3	measures sets for at least one of an individual patient, a peer group, and a overall
4	patient population.
1	27. A method for analyzing a patient status for congestive heart failure
2	for use in automated patient care, comprising:
3	receiving a set of one or more physiological measures relating to patient
4	information recorded on a substantially continuous basis or derived therefrom;
5	storing the physiological measures set into a patient care record for an
6	individual patient into a database; and
7	analyzing one or more of the physiological measures in the physiological
8	measures set relative to one or more other physiological measures to determine a
9	pathophysiology indicating an absence, an onset, a progression, a regression, and
10	a status quo of congestive heart failure.
1	28. A method according to Claim 27, further comprising:
2	analyzing the physiological measures in the physiological measures set
3	relative to the other physiological measures to determine a pathophysiology
4	indicating an absence, an onset, a progression, a regression, and a status quo of
5	diseases other than congestive heart failure.
1	29. A method according to Claim 27, further comprising:
2	receiving a set of one or more quality of life measures relating to patient
3	information recorded on a substantially continuous basis or derived therefrom;
4	storing the quality of life measures set into the patient care record for the
5	individual patient into the database; and
6	analyzing the quality of life measures in the physiological measures set
7	relative to the other quality of life measures to determine a pathophysiology

- 42 -

8	indicating an absence, an onset, a progression, a regression, and a status quo of
9	congestive heart failure.
1	30. A method according to Claim 27, further comprising:
2	receiving a set of one or more baseline physiological measures relating to
3	patient information recorded during an initial time period or derived therefrom;
4	storing the baseline physiological measures set into the patient care record
5	for the individual patient into the database; and
6	analyzing the physiological measures in the physiological measures set
7	relative to the baseline physiological measures to determine a pathophysiology
8	indicating an absence, an onset, a progression, a regression, and a status quo of
9	congestive heart failure.
1	31. A method according to Claim 27, further comprising:
2	retrieving the other physiological measures from measures sets for at least
3	one of an individual patient, a peer group, and a overall patient population.
1	32. A computer-readable storage medium for a device holding code fo
2	performing the method according to Claims 27, 28, 29, 30, or 31.